

## References

- ALLEE, W. C., O. PARK, A. E. EMERSON, T. PARK, and K. P. SCHMIDT. 1949. *Principles of animal ecology*. W. B. Saunders Co., Philadelphia, Pa. 837 p.
- ANON. 1909-11. Reports. In: File No. 21 & 22. Buffalo, Yell. Natl. Park Archives.
- . 1912-13. Reports. In: File No. 21 & 22. Buffalo, Yell. Natl. Park Archives.
- BAILEY, VERNON. 1930. *Animal life of Yellowstone National Park*. Charles E. Thomas, Springfield, Ill. 241 p.
- BAILEY, VIRGINIA L., and N.E. BAILEY. 1949. *Woody plants of the western national parks*. University Press, Notre Dame, Ind. 274 p.
- BARLOW, J. W., and D. P. HEAP. 1872. *Report of a reconnaissance of the basin of the upper Yellowstone in 1871*. U. S. Gov't. Printing Office, Washington, D.C. 43 p.
- BARMORE, WILLIAM J. 1968. *Bison and brucellosis in Yellowstone National Park: a problem analysis*. Yell. Natl. Park. Typed report. 73 p.
- BERGSTROM, R. C. 1964. *Competition between elk and phytophagous insects for food in the Lamar Valley, Yellowstone National Park*. Ph.D. Thesis, Univ. of Wyoming, Laramie. 107 p.
- BLACKMORE, WM. (LORD). 1872. *Diary-fourth visit to the United States*. (Transcription, Western Range Cattle Industry Study, State Museum, Denver, Colo.) Yell. Natl. Park Library. Photocopy.
- BOONE and CROCKETT CLUB. 1964. *Records of North American big game*. Holt, Rinehart & Winston, New York. 398 p.
- BOOTH, W. E. 1950. *Flora of Montana. Part I. Conifers and monocots*. The Research Foundation at Montana State College, Bozeman. 232 p.
- BOOTH, W. E., and J. C. WRIGHT. 1959. *Flora of Montana. Part II. Dicotyledons*. 1966. The Research Foundation at Montana State Univ., Bozeman. 305 p.
- BOZEMAN AVANT-COURIER. 1883. *Game features of the Yellowstone Park*. 11 January.
- . 1883. *Park pencilings*. 22 February.
- BURGER, JOHN F. 1967a. Diptera: Rhagionidae. *Effect of abundance on wildlife*. Rept. to the Natl. Park Serv. Yell. Natl. Park Library. Typed. 2 p.
- . 1967b. *Letter to Sup't. McLaughlin*, Yell. Natl. Park, 13 March 1967. Yell. Natl. Park Library. Typed. 4 p.
- BURGESS, F. 1898-99. *Scout diary*. Yell. Natl. Park Archives.
- CAHALANE, VICTOR H. 1944. Restoration of wild bison. *Trans. N. Am. Wildl. Conf.* 9:135-143.
- CHOQUETTE, LAURENT P. E., J. GUY COUSINEAU, and ERIC BROUGHTON. 1966. *Pathology*. Can. Wildl. Ser. Annual Report. p. 75-80.
- CHRISTMAN, GENE N. 1971. The mountain bison. *The American West*. 8(3):44-47.
- COLE, GLEN. 1969. *The elk of Grand Teton and southern Yellowstone National Parks*. Research Report GRTE--N-1. Mimeo. 192 p.
- CONNER, A. H., and ROBERT CORNELL. 1958. Brucellosis in bison, elk, and moose in Elk Island National Park, Alberta, Canada. *Can. J. Comp. Med., Vet. Sci.* 22:9-20.
- COOK, CHARLES W., DAVID E. FOLSOM, and WILLIAM PETERSON. 1869. An exploration of the headwaters of the Yellowstone River in the year 1869. In: Haines, Aubrey ed. 1965. *The valley of the upper Yellowstone*. University of Oklahoma Press, Norman.
- DELACY, WALTER W. 1876. A trip up the south Snake River in 1863, p. 113-143. In: *Contributions to the Historical Society of Montana*. V. I. Rocky Mountain Publishing Co., Helena.

## 154 Bison of Yellowstone National Park

- DOANE, G. C. 1875. The report of Lieut. Gustavus C. Doane upon the so-called Yellowstone Expedition of 1870 to the Secretary of War. Appendix M. In: Cramton, Louis C. 1932. *Early history of Yellowstone National Park and its relation to national park policies*. U. S. Gov't Printing Office, Washington, D.C.
- \_\_\_\_\_. 1876. *Expedition of 1876-1877*. Yell. Natl. Park Library. Typed. 44 p.
- DUNRAVEN, EARL OF. 1876. *The great divide*. Chatto & Windus, London, England. 382 p.
- ETKIN, WILLIAM. 1964. Types of social organization in birds and mammals, p. 256-297. In: Etkin, William, ed. 1964. *Social behavior and organization among vertebrates*. University of Chicago Press. Chicago, Ill.
- FRICK, E. J. 1951. Parasitism in bison. *J. Am. Vet. Med. Assoc.* **119**:386-387.
- FRYXELL, FRITZOF M. 1926. A new high altitude limit for the American bison. *J. Mammal.* **7**:102-109.
- FULLER, W. A. 1959. The horns and teeth as indicators of age in bison. *J. Wildl. Manage.* **23**:342-344.
- \_\_\_\_\_. 1960. Behavior and social organization of the wild bison of Wood Buffalo National Park, Canada. *Arctic.* **13**: 3-19.
- \_\_\_\_\_. 1961. The ecology and management of the American bison. *Extrait de la Terre et la Vie.* **2-1961**:286-304.
- \_\_\_\_\_. 1962. The biology and management of the Bison of Wood Buffalo National Park. *Can. Wildl. Serv. Wildl. Manage. Bull. Ser. I*, No. 16. 52 p.
- GARRETSON, MARTIN S. 1938. *The American bison*. New York Zool. Soc. 254 p.
- GILMAN, N. L., and JOHN L. McAULIFFE. 1956. Brucellosis, p. 538-556. In: Fincher, M. G., ed. 1956. *Diseases of cattle*. American Veterinary Publishers, Inc., Evanston, Ill.
- GRIMM, RUDOLF L. 1939. Northern Yellowstone winter range studies. *J. Wildl. Manage.* **3**:295-306.
- GRINNELL, GEO. BIRD. 1876. Zoological report, p. 66-89. In: Ludlow, William. 1876. *Report on a reconnaissance from Carroll, Montana Territory, on the Upper Missouri, to the Yellowstone National Park*. U. S. Gov't. Printing Office, Washington, D.C.
- HAGUE, ARNOLD. 1893. The Yellowstone Park as a game reservation, p. 240-270. In: *American big game hunting, the book of the Boone & Crockett Club*. Forest & Stream Publishing Co., New York.
- \_\_\_\_\_. 1899. *Geology of Yellowstone National Park*. U. S. Geo. Survey. Monograph 32, Part 2. U. S. Gov't. Printing Office, Washington, D.C. 893 p.
- HAINES, AUBREY, ed. 1955. *Osborne Russell's journal of a trapper*. Oregon Historical Society, Portland. 179 p.
- \_\_\_\_\_. 1963. History of Yellowstone National Park, p. 84-136. In: *A manual of general information on Yellowstone National Park*. Yell. Natl. Park. Mimeo.
- HALLORAN, A. F. 1968. Bison (Bovidae) productivity on the Wichita Mountains Wildlife Refuge, Oklahoma. *Southwest Nat.* **13**:23-26.
- HENDERSON, A. BART. 1870. *Narrative of a prospecting expedition to the East Fork and Clark's Fork of Yellowstone...1870*. (Original in Coe Collection, Yale Univ. Library.) Yell. Natl. Park Library. Typed transcript.
- HOFER, T. E. 1927. *Letter to LeRoy Hill*. 5 February. Yell. Natl. Park Archives.
- HOLMES, W. H. 1878. *Exploration of the Yellowstone National Park by the U. S. Geological and Geographical Survey of the Territories, 1878*. Yell. Natl. Park Library. Typed transcript. 43 p.
- HOLT, PETER. 1899-1901. *Scout diary*. Yell. Natl. Park Archives.
- HOUGH, EMERSON. 1894. *Forest and Stream's Yellowstone Park expedition of 1894*. Yell. Natl. Park Library. Newspaper account.
- HOUSTON, DOUGLAS B. 1968. *The Shiras moose in Jackson Hole, Wyoming*. Grand Teton Natural History Assoc. Grand Teton Natl. Park. 110 p.
- JONES, WILLIAM A. 1875. *Report upon the reconnaissance of Northwestern Wyoming including Yellowstone National Park, made in the summer of 1873*. U. S.

References 155

- Gov't. Printing Office, Washington, D.C. 331 p.
- KITTRAMS, WALTER H. 1947-58. *Northern winter range studies*. 2 Vol. Yell. Natl. Park Library. Typed.
- . 1949. *Preliminary report on Hayden Valley bison range*. Yell. Natl. Park Library. Typed. 8 p.
- LAKE STATION. 1898-1911. *Station record*. Yell. Natl. Park Archives.
- . 1911-18. *Station record*. Yell. Natl. Park Archives.
- LE HARDY, PAUL. 1873. *Autobiography of Paul Le Hardy*, p. 95-104. (Typescript copied from handwritten 247 p. autobiography.) Yell. Natl. Park Library.
- LIVINGSTON ENTERPRISE. 1885. *News article*. Mar. 7:3; Dec. 12:1; Dec. 19:3.
- LOCKER, BETTY. 1953. Parasites of bison in northwestern U.S.A. *J. Parasitol.* 39:396-397.
- MACARTHUR, ROBERT, and JOSEPH CONNELL. 1966. *The biology of populations*. John Wiley & Sons, New York. 200 p.
- MCHUGH, TOM. 1958. Social behavior of the American Buffalo (*Bison bison bison*). *Zoologica*, 43, Part 1. 31 March 1958. 40 p.
- MCDougall, W. B., and HERMA A. BAGGLEY. 1956. *Plants of Yellowstone National Park*. Yell. Library and Museum Assoc. Yell. Natl. Park, Wyo. 186 p.
- MARBLE, CHARLES. 1932. *Fifty years in and around Yellowstone National Park and miscellaneous notes*. Yell. Natl. Park Library. Typed. 36 p.
- MEAGHER, M. 1966. *Lungworm (Dictyocaulus sp.) in bison of Yellowstone National Park*. Yell. Natl. Park Library. Typed. 8 p.
- MECH, L. DAVID. 1966. *The wolves of Isle Royale*. Fauna of the Natl. Parks of the U.S. U.S. Gov't Printing Office, Washington, D.C. 210 p.
- MORRISON, JAMES. 1897-98. *Scout diaries*. 2 Vol. Yell. Natl. Park Archives.
- MURRI, ERNEST. 1968. *Interview of 5 May 1968 by Natl. Park Service personnel*. Yell. Natl. Park Archives. Tape recording.
- NOWLIN, D. C. 1912. *Report on wild buffalo and elk, Yellowstone Park*. July 22-30. Typed. 5 p. In: File No. 21 & 22. Buffalo. 1909-11 inc. Yell. Natl. Park Archives.
- OLDEMAYER, JOHN L. 1966. *Winter ecology of bighorn sheep in Yellowstone National Park*. M. S. Thesis. Colorado State Univ., Fort Collins. 107 p.
- PARK, ED. 1969. *The world of the bison*. J. B. Lippincott Co., Philadelphia, Pa. 161 p.
- PATTEN, D. T. 1963. Vegetational pattern in relation to environments in the Madison Range, Montana. *Ecol. Monogr.* 33:375-406.
- PATTIE, DONALD L., and NICOLAAS A. M. VERBEEK. 1967. Alpine mammals of the Beartooth Mountains. *Northwest Sci.* 41:110-117.
- PIERREPONT, EDWARD. 1884. *Fifth avenue to Alaska*. G. P. Putnam Sons, New York. 329 p.
- POTTER, MRS. LENA. 1962. *Notes from an interview*. Yell. Natl. Park Archives. Tape recording.
- QUORTRUP, ERLING R. 1945. *A report on brucellosis investigations, Yellowstone National Park*. Dec. 1-20, 1944. Yell. Natl. Park Library. Mimeo. 27 p.
- RAYMOND, ROSSITER W. 1880. *Camp and cabin: sketches of life and travel in the west*. Fords, Howard & Hulbert, New York. 242 p.
- REYNOLDS, W. F. 1867. *Report of Brevet Colonel W. F. Reynolds, U. S. A., Corps of Engineers, on the exploration of the Yellowstone and Missouri Rivers in 1859-1860*. 40th Congr., 1st Sess. Senate Ex. Doc. No. 77. U. S. Gov't. Printing Office, Washington, D. C. 174 p.
- ROBINETTE, W. LESLIE, JAY S. GASHWILER, DALE A. JONES, and HAROLD S. CRANE. 1955. Fertility of mule deer in Utah. *J. Wildl. Manage.* 19:115-136.
- ROE, FRANK GILBERT. 1951. *The North American buffalo*. University of Toronto Press, Canada. 957 p.
- RUSH, W. M. 1932a. Bang's disease in Yellowstone National Park buffalo and elk herds. *J. Mammal.* 13:371-372.
- . 1932b. *Northern Yellowstone elk study*. Mont. Fish Game Comm., Helena. 131 p.
- SCOUTS. 1908-14. *Monthly reports*. Yell. Natl. Park Archives.
- SKINNER, CURTIS K. 1941. *Special report on Yellowstone National Park bison*. Yell.

156 Bison of Yellowstone National Park

- Natl. Park Bio. Files. 715-03. Buffalo (General). Typed.
- SKINNER, CURTIS K., and WAYNE B. ALCORN. 1942-51. *History of the bison in Yellowstone Park*. Yell. Natl. Park Library. Typed report.
- SKINNER, MORRIS F. 1965. *Letter to Dr. J. D. Love, U.S.G.S.* 19 Nov. Yell. Natl. Park Museum Files.
- SKINNER, MORRIS F., and OVE C. KAISEN. 1947. The fossil Bison of Alaska and preliminary revision of the genus. *Bull. Am. Mus. Nat. His.* 89: 127-256.
- SNAKE RIVER STATION. 1897. *Monthly report, August*. Yell. Natl. Park Archives.
- SODA BUTTE STATION. 1898. *Station record*. Yell. Natl. Park Archives.
- SOIL CONSERVATION SERVICE. 1963. *Site condition survey, northern Yellowstone*. Yell. Natl. Park Bio. Files.
- . 1964. *Site condition survey, Hayden-Pelican Creek*. Yell. Natl. Park Bio. Files.
- STEVENSON, DONALD. 1915-16. *Scout diary*. Yell. Natl. Park Archives.
- SUPERINTENDENTS of the Yellowstone National Park. 1877-1915. *Annual reports*. Yell. Natl. Park Library.
- . 1903-21. *Journal*. Yell. Natl. Park Archives.
- THUMB STATION. 1898-1916. *Station record*. Yell. Natl. Park Archives.
- TIMMONS, WILLIAM. 1962. *Twilight on the range*. University of Texas Press, Austin. 223 p.
- TUNNICLIFFE, E. A., and H. MARSH. 1935. Bang's disease in bison and elk in the Yellowstone National Park and on the National Bison Range. *J. Am. Vet. Med. Assoc.* 86:745-752.
- U. S. DEP. AGRIC. SOIL CONSERV. SERV. 1919-67. *Summary of snow survey measurements*. Wyoming, Casper. 152 p.
- U. S. DEP. COMMER. WEATHER BUREAU. 1930-59. *Climatological summary for Yellowstone National Park*. Climatology of the U.S. No. 20-48. 2 p.
- WHITTAKER, GEORGE. 1897-99. *Scout diaries*. 4 Vol. Yell. Natl. Park Archives.
- WOOLF, ALAN. 1968. *Summer ecology of bighorn sheep in Yellowstone National Park*. M. S. Thesis. Colorado State Univ., Fort Collins. 112 p.
- YOUNT, HARRY. 1880. Report of gamekeeper, p. 50. In: *Superintendents of the Yellowstone National Park. 1880*. Annual report. Yell. Natl. Park Library.
- . 1881. Report of gamekeeper, p. 62-63. In: *Superintendents of the Yellowstone National Park. 1881*. Annual report. Yell. Natl. Park Library.

# Index

|                                       | Page                         |                          | Page                    |
|---------------------------------------|------------------------------|--------------------------|-------------------------|
| Accidents                             | 74                           | Brown, Larry             | 66                      |
| Anthrax                               | 70                           | Browse species           | 93,94                   |
| Barmore, William                      | 109                          | Brucellosis infection    |                         |
| Bechler Meadows                       | 3,5                          | Examination for          | 2                       |
| Summer range                          | 23                           | Control                  | 71                      |
| Wintering                             | 33,88                        | Effect on productivity   | 71                      |
| Winterkill                            | 74                           | First reported           | 70                      |
| Biotic disclimaxes                    | 108                          | Rate of                  | 54                      |
| Bison behavior                        | 47,76,77                     | Buffalo Ranch            | 39,67,71                |
| Breeding activity                     | 47                           | Buffalo trails           | 25                      |
| In snowstorms                         | 51                           | Bulls                    |                         |
| "Tending bonds"                       | 73                           | Distribution             | 36,37                   |
| Winter movement                       | 1,13                         | Free-ranging             | 29,31                   |
| <i>Bison bison athabascae</i> Rhoads  | 16,17                        | Groups                   | 46,84,98                |
| Skulls                                | 38                           | Hornng of trees          | 104                     |
| <i>Bison bison</i> Linnaeus           | 1                            | Insects                  | 83                      |
| Bison characteristics                 | 38-49                        | Movements                | 78,85                   |
| Color                                 | 38                           | Physical characteristics | 38                      |
| Hair                                  | 38                           | Population ratio         | 60                      |
| Horns                                 | 38                           | Reductions               | 29                      |
| Longevity                             | 46                           | Sexual maturity          | 51                      |
| Sight                                 | 47                           | Show herd                | 29                      |
| Smell                                 | 47                           | Solitary                 | 46                      |
| Speed                                 | 47                           |                          | 47,49,81,84,85,89,98,99 |
| Weight                                | 38,39                        | Thermal areas            | 105                     |
| <i>Bison occidentalis</i>             | 13                           | Wallows                  | 104,105                 |
| Bison population                      | 13,32,34,35,37               | Weight                   | 39                      |
| Breeding activity                     | 47,76,77                     | Winter ranges            | 81,99,100               |
| Composition                           | 27,29                        | Wintering apart          | 37,96,99                |
| Distribution                          | 67                           | Calves                   |                         |
| Estimates                             | 46,90                        | Calving                  | 75,76                   |
| Group structure                       | 85,88,89                     | Coat color changes       | 38                      |
| Interbreeding                         | 29,88                        | Dominance hierarchy      | 111                     |
| Intermingling                         | 89                           | Fetal size range         | 75                      |
| Isolation                             | 36,73                        | Mortality                | 62,64                   |
| Movements                             | see also Migratory movements | Numbers                  | 60,63                   |
| Origin                                | L,13,14,26                   | Nursing                  | 51,54                   |
| Reproduction                          | 50-57                        | Sex ratio                | 58                      |
| see also Reproduction entries         |                              | Survival rates           | 51,54,111               |
| <i>Blackflies (Simulium venustum)</i> | 69                           | Wild herd                | 26,27                   |
| Blacktail Deer Creek                  | 104                          | Chapman, W. S.           | 31                      |
|                                       |                              | Childs, Frank            | 13                      |

|                                      | Page        |  | Page                   |
|--------------------------------------|-------------|--|------------------------|
| Climate                              | 8           | Thermal sites                          | 97,108,113             |
| Effect of wind and cold              | 56          | Use of areas                           | 96-103                 |
| Seasons                              | 9           | Forbs in forage                        | 92-94                  |
| Colter, John                         | 12          | Goodnight herd                         | 26                     |
| Cows                                 |             | Grass species                          | 91-95                  |
| Abortions                            | 54,70       | Great Plains bison                     | 14                     |
| Brucellosis                          | 70          | Grizzly ( <i>Ursus horribilis</i> )    | 72                     |
| Calving                              | 75,76       | Hague, Arnold                          | 15                     |
| Low reproductive rates               | 56          | Haines, Aubrey                         | 13                     |
| Pregnancy rates                      | 54          | Hayden Valley                          | 3                      |
| Sexual maturity                      | 50          | Area                                   | 5                      |
| Winter range preference              | 89,90       | Breeding activity                      | 77                     |
| Crystal trap                         | 2,58        | Bulls wintering                        | 36                     |
| Dominance hierarchy                  | 111         | Calving                                | 76                     |
| Effects on habitat                   | 103-109     | Counts                                 | 33                     |
| Plant cover                          | 106         | Grass species                          | 94                     |
| Trails and wallows                   | 104,105     | Horning, rubbing                       | 103,104                |
| Trampling                            | 105,107     | Insects                                | 83                     |
| Trees and treeline                   | 103,104     | Interbreeding                          | 86                     |
| Upland sites                         | 108         | Migratory patterns                     | 78,84                  |
| Elk ( <i>Cervus canadensis</i> )     | 47          | Summer range                           | 23,81,89               |
|                                      | 104,107,108 | Thermal areas                          | 100,102                |
| Elk Island National Park             | 69          | Vegetation                             | 10                     |
| Face fly ( <i>Musca autumnalis</i> ) | 70          | Wallows                                | 105,106                |
| Fenced herd                          | 27-30       | Winter range                           | 23,33,96               |
| Composition                          | 28,30       | Hemorrhagic septicemia                 | 70                     |
| Discontinued                         | 32          | Herd reductions                        | 1                      |
| Intermingling                        | 29          |  | 2,29,32,52,66,67,72,88 |
| Fetal sex ratio                      | 55,56       | Methods used                           | 2                      |
| Firehole region                      | 2,3         | Hornfly ( <i>Haematobia irritans</i> ) | 70                     |
| Area                                 | 5           | Horse and deer flies (Tabanidae)       | 69                     |
| Calving                              | 76          | Hot springs or fumaroles               | 102                    |
| Effects of bison                     | 106         | Insects, biting                        | 69,70                  |
| Interbreeding                        | 86          | Summer movement                        | 82,83,97               |
| Mary Mountain area                   | 32          | Lacey Act                              | 12,17                  |
| Migratory pattern                    | 78,84       | Lamar region                           | 1,3,12                 |
| Thermal areas                        | 100,102     | Area                                   | 4                      |
| Vegetation                           | 10          | Brucellosis                            | 54,70                  |
| Food habits                          | 2,90,93     | Bulls                                  | 60                     |
| Foraging areas                       | 96-98       | Calving                                | 75                     |
| Composition data                     | 94          | Increase                               | 67                     |
| Effect on plant cover                | 106-109     | Management practices                   | 26,32                  |
| Forbs and browse                     | 94          | Movement                               | 82                     |
| Forested sites                       | 97          | Poaching                               | 17                     |
| Snow depth                           | 73          | Reduction                              | 32,65,66               |

|                                    | Page        |  | Page        |
|------------------------------------|-------------|--|-------------|
| Summer range                       | 23          | Trails                                   | 105         |
| Trapping                           | 58          | Vegetation                               | 10          |
| Vegetation                         | 10          | Wild herd                                | 26          |
| Winter range                       | 23          | Mixed herd groups                        | 23          |
|                                    | 31,33,36,89 | Bulls                                    | 47          |
| Lungworm ( <i>Dictocaulus</i> sp.) | 69          | Calf numbers                             | 60,63       |
| Madison Plateau                    | 3,5,33      | Distribution                             | 23,32,34    |
| Elk                                | 194         | Group size                               | 46          |
| Summer range                       | 23,65       | Group structure                          | 90          |
| Management objectives              | 71          | Migratory pattern                        | 77,78,90    |
| Management practices               | 1,2,12,26   | Population shifts                        | 87,88       |
| Aerial counts                      | 32,36,60    | Survival factors                         | 113         |
| Buffalo ranch                      | 67          | Thermal areas                            | 98,100,102  |
| Change to natural preservation     | 32          | Winter movements                         | 84,85,89,90 |
| Cows and calves removed            | 52,53       | Moose ( <i>Alces alces</i> )             | 56          |
| Hay-baiting                        | 31,67       | Mortality                                |             |
| Herding by helicopter              | 33          | Accidents                                | 74          |
| Population counts                  | 32          | Bulls                                    | 65          |
| Reductions                         | 29,32,52,67 | Calves                                   | 62,64       |
| Roundup                            | 29          | Disease-caused                           | 70          |
| Tagging                            | 2           | Natural                                  | 65,67       |
| Mary Mountain herd                 | 31,32       | Predation                                | 72          |
| Age classes                        | 60,64       | Subadults                                | 64,74       |
| Breeding                           | 76          | Winterkill                               | 73,74       |
| Increase                           | 65,68       | Mosquitoes ( <i>Aedes</i> sp.)           | 69          |
| Interbreeding                      | 86          | Mountain bison                           | 14          |
| Reduction                          | 66          | Characteristics                          | 14,15       |
| Semidomestication                  | 68          | Distribution                             | 17,18       |
| Sex ratio                          | 60          | History                                  | 15-17       |
| Wintering                          | 33,89,90    | Increase                                 | 29          |
| Migratory movements                | 77,97       | Migrations                               | 15          |
| Beyond park boundaries             | 85          | Numbers (1902)                           | 17          |
| Biting insects                     | 82          | Skulls                                   | 17          |
| Patterns                           | 90,97       | Subspecies                               | 89          |
| Spring and fall                    | 78,84       | Mountain buffalo history                 | 15-17       |
| Summer                             | 81,82,84    | Mule deer ( <i>Odocoileus hemionus</i> ) | 56          |
| Winter                             | 84          | Murphy, R                                | 85          |
| Mirror Plateau                     | 3,4         | Muscidae                                 | 69,70       |
| Area                               | 4           | Mushpots-Mudkettles                      | 97          |
| Breeding activity                  | 76          | National Bison Range                     | 69          |
| Fossil cranium                     | 13          | Conjunctivitis                           | 70          |
| Migratory pattern                  | 78          | Nez Perce trap                           | 2,33,58     |
| Rubbing of trees                   | 103         | Brucellosis                              | 70          |
| Skull                              | 17          | Helicopter drive                         | 84,89       |
| Summer range                       | 23,31,36    | Norris                                   | 15,17,25    |

|                       | Page                |   | Page                   |
|-----------------------|---------------------|---|------------------------|
| Pablo-Allard herd     | 26                  | Pregnancy rates                           | 51,54,111              |
| Parasites             | 69,70               | Sex ratios                                | 55,56                  |
| Pelican region        | 3                   | Sexual maturity                           | 50,56                  |
| Area                  | 4                   | Research                                  | 1                      |
| Brucellosis           | 54,70               | Methods used                              | 2                      |
| Calving               | 75                  | Rocky Mountains                           | 89                     |
| Herd fluctuation      | 66,67               | Rubbing of trees                          | 103,104                |
| Maximum population    | 113                 | Rumen samples                             | 2,90-93                |
| Migratory pattern     | 82                  | Russell, Osborne                          | 14                     |
| Reductions            | 110                 | Sagebrush-grassland                       | 113                    |
| Separation            | 88                  | Seasons                                   | 9                      |
| Vegetation            | 10,96               | Sedge                                     | 90-93                  |
| Wild herd             | 26                  | Species                                   | 94,95                  |
| Winter range          | 23,33,36,96,102,108 | Thermal influence                         | 102                    |
| Pierson, Dave         | 36                  | Winter forage                             | 96,100                 |
|                       | 47,54,71,72,78      | Skulls                                    | 16,17,39               |
| Pitchstone Plateau    | 3,5                 | Slaughter operations                      | 2                      |
| Summer range          | 23,65               | Snipe flies ( <i>Rhagionidae</i> )        | 69                     |
| Plains bison          | 1                   | Snow                                      | 8,9                    |
| Subspecies            | 26,27               | Trapping                                  | 84                     |
| Wild herd             | 26,27               | Winter foraging                           | 73                     |
| Poaching              | 17,110              | Soils                                     | 5,6                    |
| Ponumpita Hot Springs | 36,99               | Erosion                                   | 107                    |
| Population regulation | 110-113             | Stable fly ( <i>Stomoxys calcitrans</i> ) | 70                     |
| Counting practices    | 32,33               | Stradley, Jim                             | 32,33,36,66,85,102,113 |
| Natural regulation    | 110,111             | Subspecies                                | 13,14,26,27            |
| Neckbands             | 2,36                | Rocky Mountains                           | 89                     |
| Numbers (1902)        | 17                  | Summer ranges                             | 31,36,65               |
| Numbers (1964)        | 33,108              | Historic                                  | 23                     |
| Reductions            | 2                   | Survival factors                          | 113                    |
|                       | 29,50,60,65,71,110  | Syphomyia                                 | 69,83                  |
| Slaughter operations  | 2                   | Tape worm ( <i>Moniezia benedini</i> )    | 69                     |
| Tagging               | 2                   | Thermal areas                             | 9,96-98                |
| Population structure  | 8,58-60,89          | Survival factor                           | 113                    |
| Age classes           | 58-60,64            | Thermal influence                         | 102,103                |
| Fluctuations          | 67                  | Trampling                                 | 105                    |
| Interbreeding         | 85,86               | Use of                                    | 99,100,108             |
| Sex ratio             | 58,60               | Wintering sites                           | 97,98                  |
| Trends                | 68                  | Trapping                                  | 58                     |
| Wild strain           | 29                  | Population shifts                         | 88                     |
| Predation             | 72                  | Sex and age structure                     | 59                     |
| Quorstrup, E.R.       | 75                  | Tuberculosis                              | 70                     |
| Reproduction          | 50,57               | U.S. Forest Service                       | 10                     |
| Calving               | 75,76               | Upland sites                              | 108                    |
| Effect of winter      | 56                  |   |                        |

Index 161

|                        | Page       |                                  | Page   |
|------------------------|------------|----------------------------------|--------|
| Upper Lamar region     | 3,4        | Winterkill                       | 73,74  |
| Area                   | 4          | Wire rush                        | 94     |
| Summer ranges          | 23,31,36   | Wolves ( <i>Canis lupus</i> )    | 72     |
| Trails                 | 105        | Wood Buffalo National Park bison | 51     |
| Vegetation             | 9-11       | Diseases                         | 70,71  |
| Plant species          | 11         | Parasites                        | 69     |
| Visitors' best viewing | 48         | Reproductive rates               | 56     |
| Wallows                | 104,105    | Sex ratio                        | 60     |
| Wild herd              | 1,12,26,68 | Winter climate                   | 56     |
| Present composition    | 27         | Wolves                           | 72     |
| Reproduction rate      | 51         | Yearlings                        | 54     |
| Wild strain estimate   | 29         | Moose                            | 56     |
| Wildlife protection    | 12         | Mortality                        | 64,111 |
| Wilson, Richard        | 14         | Trapping                         | 58     |
| Wind, effect of        | 56         | Yellowstone National Park        | 3-12   |
| Winter ranges          |            | Bison range                      | 3      |
| Effect on plant cover  | 106,108    | Climate                          | 8      |
| Factors of suitability | 112,113    | Geologic history                 | 3      |
| Habitual               | 89,90      | History                          | 10     |
| Sedges                 | 94,96      | Indians                          | 10     |
| Thermal sites          | 97,98      | Nine regions                     | 3-5    |
|                        |            | Seasons                          | 9      |

U. S. Department of the Interior



National Park Service

